
Discover[®] MXTECHEMX/ECL

THE MOST SIGNIFICANT IMPROVEMENT IN A BATTERY IN 50 YEARS.



- Maintains Dynamic Charge Acceptance essential for highly equipped vehicles with intense driving schedules
- 2

Enhanced Negative Grids with increased active material

density improve improve plate strength and enhanced cycle life in cyclic/starting applications.



Fiber-lock Scrim, embedded into the active material on each side of the + and - plates, increases active material bonds and reduces material erosion.

Envelope (+) Glass Mat Separators

- · Reduce internal resistance and short circuits
- Increases cell compression and reduces plate shedding Provides active mass stability and quicker recharging over conventional batteries

Calcium Tin Alloys in thick Positive Grids

- Increase corrosion resistance and life
- Increase strength and reliability

resist positive plate growth



Reinforced Polypropylene Case utilizes completely sealed cover for true maintenance free performance





Central Degassing manifold with integrated flame arrestors collect and discharge gas away from terminals improving safety and reducing terminal corrosion. Gases travel through a spider-web like maze within the manifold trapping the water & electrolyte vapors re-combining them back into the battery preventing premature dry out.



3/8" stainless stud or cold forged SAE terminals

NaSO, Sodium Sulphate additives improve the cycle life, charge acceptance and maintenance-free operations